



S.C. BIOMASER SANCOS S.R.L.
SANCOS ACADEMY® DIVISION OF QUALITY CONTROL

DECLARAȚIE DE CONFORMITATE
NR. 51 / 2026

*PRODUSELE NOASTRE SUNT AUDITATE CONFORM RAPOARTELOR DE TESTARE LH ȘI BST,
RESPECTÂND NORMELE EUROPENE DE SIGURANȚĂ CHIMICĂ ȘI MECANICĂ*

SUBSEMNATA: S.C. BIOMASER SANCOS S.R.L., ÎN CALITATE DE IMPORTATOR ȘI DISTRIBUITOR AUTORIZAT.

OBIECTUL DECLARAȚIEI: **LASH GLUE ACCELERATOR (GLUE STOP & BOOST)** | PERFORMANCE & SPEED SYSTEM – SANCOS ACADEMY®.

CONFORMITATE ȘI NOTIFICARE EUROPEANĂ: ASIGURĂM ȘI DECLARĂM PE PROPRIA RĂSPUNDERE, CONFORM ART. 5 DIN H.G. NR. 1022/2002, CĂ PRODUSUL ESTE SIGUR PENTRU UTILIZARE PROFESIONALĂ ȘI RESPECTĂ REGLEMENTĂRILE EUROPENE.

NOTIFICARE CPNP (PORTALUL EUROPEAN AL PRODUSELOR COSMETICE): PRODUSUL ESTE ÎNREGISTRAT OFICIAL CU NUMĂRUL DE REFERINȚĂ 5816157, AVÂND S.C. BIOMASER SANCOS S.R.L. CA PERSOANĂ RESPONSABILĂ (RP) ÎN UNIUNEA EUROPEANĂ (NOTIFICARE ACTUALIZATĂ: 23/03/2026). CERTIFICARE CE (CONFORMITATE EUROPEANĂ): PRODUSUL RESPECTĂ NORMELE DE SIGURANȚĂ EN 71-1, EN 71-2 ȘI EN 71-3:2019+A1:2021, CONFORM CERTIFICATULUI NR. LH-232891012193.

STANDARDE DE SIGURANȚĂ CHIMICĂ (ROHS): CONFORM CU DIRECTIVA 2011/65/EU ȘI (EU)2015/863, GARANTÂND ABSENȚA SUBSTANȚELOR TOXICE RESTRICȚIONATE (PLUMB, MERCUR, CADMIU ETC.).

COMPOZIȚIE SIGURĂ: FORMULA ESTE VALIDATĂ CONFORM FIȘEI DE SIGURANȚĂ (MSDS NR. LP-20250603009D), BAZATĂ PE UN MIX DE APĂ, POLYACRYLAMIDĂ, PROPYLENE GLYCOL ȘI METHYLPARABEN, CONCEPUTĂ PENTRU A OPTIMIZA POLIMERIZAREA ADEZIVULUI FĂRĂ A AFECTA STRUCTURA FIRULUI DE EXTENSIE.

ORIGINEA: DESIGNED & ENGINEERED IN ROMANIA BY SANCOS ACADEMY®. FABRICAT ÎN P.R.C. SUB CONTROL DE CALITATE RIGUROS.

GARANȚIE: PRODUSUL ESTE GARANTAT PENTRU VICII ASCUNSE CONFORM LEGII 449/2003 ȘI OUG 174/2008.

DATA EMITERII: CONFORM FACTURII FISCALE.





S.C. BIOMASER SANCOS S.R.L.
SANCOS ACADEMY® DIVISION OF QUALITY CONTROL

DECLARATION OF CONFORMITY
NO. 51 / 2026

OUR PRODUCTS ARE AUDITED ACCORDING TO HDBT AND BST TEST REPORTS,
COMPLYING WITH EUROPEAN CHEMICAL AND MECHANICAL SAFETY STANDARDS.

HUNDERSIGNED: S.C. BIOMASER SANCOS S.R.L., IN THE CAPACITY OF AUTHORIZED IMPORTER AND DISTRIBUTOR.

OBJECT OF THE DECLARATION: **LASH GLUE ACCELERATOR (GLUE STOP & BOOST)** | PERFORMANCE & SPEED SYSTEM – SANCOS ACADEMY®.

EUROPEAN CONFORMITY AND NOTIFICATION: WE ENSURE AND DECLARE ON OUR OWN RESPONSIBILITY, PURSUANT TO ART. 5 OF H.G. NO. 1022/2002, THAT THE PRODUCT IS SAFE FOR PROFESSIONAL USE AND COMPLIES WITH EUROPEAN REGULATIONS.

CPNP NOTIFICATION (EUROPEAN COSMETIC PRODUCTS NOTIFICATION PORTAL): THE PRODUCT IS OFFICIALLY REGISTERED UNDER REFERENCE NUMBER 5816157, WITH S.C. BIOMASER SANCOS S.R.L. AS THE RESPONSIBLE PERSON (RP) IN THE EUROPEAN UNION (NOTIFICATION UPDATED: 23/03/2026).

CE CERTIFICATION (EUROPEAN CONFORMITY): THE PRODUCT COMPLIES WITH SAFETY STANDARDS EN 71-1, EN 71-2, AND EN 71-3:2019+A1:2021, ACCORDING TO CERTIFICATE NO. LH-232891012193.
CHEMICAL SAFETY STANDARDS (ROHS): IN COMPLIANCE WITH DIRECTIVE 2011/65/EU & (EU)2015/863, GUARANTEEING THE ABSENCE OF RESTRICTED TOXIC SUBSTANCES (LEAD, MERCURY, CADMIUM, ETC.).

SAFE COMPOSITION: THE FORMULA IS VALIDATED ACCORDING TO THE MATERIAL SAFETY DATA SHEET (MSDS NO. LP-20250603009D), BASED ON A MIXTURE OF WATER, POLYACRYLAMIDE, PROPYLENE GLYCOL, AND METHYLPARABEN, DESIGNED TO OPTIMIZE ADHESIVE POLYMERIZATION WITHOUT AFFECTING THE STRUCTURE OF THE EXTENSION FIBER.

ORIGIN: DESIGNED & ENGINEERED IN ROMANIA BY SANCOS ACADEMY®. MANUFACTURED IN P.R.C. UNDER RIGOROUS QUALITY CONTROL.

WARRANTY: THE PRODUCT IS GUARANTEED AGAINST HIDDEN DEFECTS IN ACCORDANCE WITH LAW 449/2003 AND OUG 174/2008.

DATE OF ISSUE: ACCORDING TO THE FISCAL INVOICE.





S.C. BIOMASER SANCOS S.R.L.
SANCOS ACADEMY® DIVISION OF QUALITY CONTROL

FIȘĂ TEHNICĂ ȘI INSTRUCȚIUNI PROFESIONALE

IPRODUS: **LASH GLUE ACCELERATOR | PERFORMANCE & SPEED SYSTEM** PRECIZIE ABSOLUTĂ • EVANTAIE PERFECTE • ACCELERARE INTELIGENTĂ

1. DESCRIERE ȘI PERFORMANȚĂ

GLUE STOP & BOOST ESTE INSTRUMENTUL INDISPENSABIL PENTRU STILISTUL CARE LUCREAZĂ CU VOLUME MARI ȘI VITEZĂ RIDICATĂ. CONCEPUT PENTRU A OFERI UN CONTROL TOTAL ASUPRA COMPORTAMENTULUI ADEZIVULUI, ACEST PRODUS REZOLVĂ CEA MAI MARE PROVOCARE A TEHNICII DE VOLUM: ÎNCHIDEREA INVOLUNTARĂ A EVANTAIELOR.

APLICAT DIRECT PE BANDA DE EXTENSII, ACESTA CREEAZĂ O BARIERĂ INVIZIBILĂ CARE „ÎNGHEATĂ” ADEZIVUL EXACT ÎN PUNCTUL DE CUPLARE, ÎMPIEDICÂND URCAREA ACESTUIA PE FIRE ȘI MENȚINÂND EVANTAIUL PERFECT DESCHIS, AERISIT ȘI SIMETRIC.

PILONII DE PERFORMANȚĂ SANCOS:

- FAN STABILITY (ANTI-WICKING): STOPEAZĂ MIGRAREA ADEZIVULUI ÎN SUS PE FIRE. EVANTAIILE RĂMÂN DEFINITE CHIAȚ ȘI ÎN CONDIȚII DE UMIDITATE VARIABILĂ.
- BONDING BOOSTER: ACȚIONEAZĂ CA UN MAGNET DE CONTACT, FORȚÂND POLIMERIZAREA SĂ ÎNCEAPĂ EXACT ÎN MOMENTUL CUPLĂRII.
- OPTIMIZAREA VITEZEI: IDEAL PENTRU ACCELERAREA ADEZIVILOR LENȚI SAU PENTRU MEDII CU UMIDITATE SCĂZUTĂ.
- FĂRĂ REZIDUURI: FORMULA ULTRA-FINĂ ASIGURĂ O CUPLARE CURATĂ ȘI INVIZIBILĂ.

2. PROTOCOL PROFESIONAL DE UTILIZARE

PENTRU REZULTATE OPTIME, URMAȚI PAȘII DE MAI JOS:

1. PREGĂTIREA BENZII: FOLOSEȘTE O MICRO-PERIUȚĂ PENTRU A APLICA O CANTITATE MICĂ DE PRODUS PE BAZA FIRELOR DE EXTENSII, DIRECT PE BANDA DE LUCRU (ÎNAINTE DE A FORMA EVANTAIILE).
2. ACTIVARE: LASĂ PRODUSUL SĂ SE USUCE TIMP DE 30 DE SECADE.
3. APLICARE: FORMEAZĂ EVANTAIUL ȘI ÎNMOAIE-L ÎN ADEZIV. VEI OBSERVA CĂ ADEZIVUL SE OPREȘTE LA BAZA EVANTAIULUI, FĂRĂ A URCA SPRE VÂRFURI.
4. REÎMPROSPĂTARE: REPETĂ APLICAREA PE BANDĂ LA FIECARE 30-45 DE MINUTE DACĂ MEDIUL DE LUCRU ESTE FOARTE USCAT.

3. SPECIFICAȚII TEHNICE ȘI SIGURANȚĂ

- INGREDIENTE (MSDS): WATER, POLYACRYLAMIDE, PROPYLENE GLYCOL, METHYL PARABEN.
- PROFIL: VEGAN, CRUELTY-FREE, UZ PROFESIONAL.
- PAO (PERIOD AFTER OPENING): 8 LUNI.
- VALABILITATE SIGILAT: 24 LUNI.
- DEPOZITARE: A SE PĂSTRA LA LOC USCAT, FERIT DE LUMINA DIRECTĂ A SOARELUI (5-25°C).

DETALII NOTIFICARE:

- NOTIFICARE CPNP: 5816157.
- CERTIFICARE CE: LH-232891012193.
- DESIGNED & ENGINEERED: BY SANCOS ACADEMY® ROMANIA.

SFATUL GHIDULUI SANCOS: DACĂ TE CONFRUNȚI CU EVANTAIE CARE SE TRANSFORMĂ ÎN „ACE” IMEDIAT CE LE APLICI, GLUE STOP & BOOST ESTE SOLUȚIA TA. ESTE DIFERENȚA DINTRE O LUCRARE FRUSTRANTĂ ȘI UNA ÎN CARE TU DEȚII CONTROLUL TOTAL ASUPRA GEOMETRIEI FIECĂRUI SET.





S.C. BIOMASER SANCOS S.R.L.
SANCOS ACADEMY® DIVISION OF QUALITY CONTROL

TECHNICAL DATA SHEET & PROFESSIONAL INSTRUCTIONS

PRODUCT: **LASH GLUE ACCELERATOR | PERFORMANCE & SPEED** SYSTEMABSOLUTE PRECISION •
PERFECT FANS • INTELLIGENT ACCELERATION

1. DESCRIPTION AND PERFORMANCE

GLUE STOP & BOOST IS THE ESSENTIAL TOOL FOR THE STYLIST WORKING WITH HIGH VOLUMES AND HIGH SPEED. DESIGNED TO PROVIDE TOTAL CONTROL OVER ADHESIVE BEHAVIOR, THIS PRODUCT SOLVES THE BIGGEST CHALLENGE OF THE VOLUME TECHNIQUE: THE INVOLUNTARY CLOSING OF FANS. APPLIED DIRECTLY TO THE EXTENSION STRIP, IT CREATES AN INVISIBLE BARRIER THAT "FREEZES" THE ADHESIVE EXACTLY AT THE BONDING POINT, PREVENTING IT FROM WICKING UP THE FIBERS AND KEEPING THE FAN PERFECTLY OPEN, AIRY, AND SYMMETRICAL.

SANCOS PERFORMANCE PILLARS:

- FAN STABILITY (ANTI-WICKING): STOPS ADHESIVE MIGRATION UP THE FIBERS. FANS REMAIN DEFINED EVEN IN VARIABLE HUMIDITY CONDITIONS.
- BONDING BOOSTER: ACTS AS A CONTACT MAGNET, FORCING POLYMERIZATION TO BEGIN EXACTLY AT THE MOMENT OF ATTACHMENT.
- SPEED OPTIMIZATION: IDEAL FOR ACCELERATING SLOW ADHESIVES OR FOR WORK ENVIRONMENTS WITH LOW HUMIDITY.
- RESIDUE-FREE: THE ULTRA-FINE FORMULA ENSURES A CLEAN AND INVISIBLE BOND.

2. PROFESSIONAL APPLICATION PROTOCOL

FOR OPTIMAL RESULTS, FOLLOW THE STEPS BELOW:

- STRIP PREPARATION: USE A MICRO-BRUSH TO APPLY A SMALL AMOUNT OF PRODUCT TO THE BASE OF THE EXTENSION FIBERS, DIRECTLY ON THE WORK STRIP (BEFORE FORMING THE FANS).
- ACTIVATION: ALLOW THE PRODUCT TO DRY FOR 30 SECONDS.
- APPLICATION: FORM THE FAN AND DIP IT INTO THE ADHESIVE. YOU WILL NOTICE THE ADHESIVE STOPS AT THE BASE OF THE FAN WITHOUT CLIMBING TOWARD THE TIPS.
- REFRESHING: REPEAT THE APPLICATION ON THE STRIP EVERY 30-45 MINUTES IF THE WORK ENVIRONMENT IS VERY DRY.

3. TECHNICAL SPECIFICATIONS AND SAFETY

- INGREDIENTS (MSDS): WATER, POLYACRYLAMIDE, PROPYLENE GLYCOL, METHYLPARABEN.
- PROFILE: VEGAN, CRUELTY-FREE, PROFESSIONAL USE.
- PAO (PERIOD AFTER OPENING): 8 MONTHS.
- SHELF LIFE (SEALED): 24 MONTHS.
- STORAGE: STORE IN A DRY PLACE, AWAY FROM DIRECT SUNLIGHT (5-25°C).

NOTIFICATION DETAILS:

- CPNP NOTIFICATION: 5816157.
- CE CERTIFICATION: LH-232891012193.
- DESIGNED & ENGINEERED: BY SANCOS ACADEMY® ROMANIA.

SANCOS GUIDE'S ADVICE: IF YOU STRUGGLE WITH FANS THAT TURN INTO "NEEDLES" AS SOON AS YOU APPLY THEM, GLUE STOP & BOOST IS YOUR SOLUTION. IT IS THE DIFFERENCE BETWEEN A FRUSTRATING JOB AND ONE WHERE YOU HAVE TOTAL CONTROL OVER THE GEOMETRY OF EVERY SET.

